# Günlük (Log)

## GET - Günlükten Ek Dosyayı İndiriniz

AUTHORIZATIONS: ( Api Key ) **OR** ( Basic ) **OR** ( Session )

PATH PARAMETERS

`logId`
required

string
Example: `~354`
The _id of the entity or its 'name' (depends of the entity)

`attachmentId`
required

string
Example: `~354`
The _id of the entity or its 'name' (depends of the entity)

Yanıtlar

## 200

RESPONSE HEADERS

| | |
|---|---|
| `Content-Type` required | string<br>the content-type of the file |
| `Content-Length` required | integer <int64> |
| `Content-Disposition` required | string<br>will be of kind attachment with the filename |
| `Content-Transfer-Encoding` required | string |

RESPONSE SCHEMA: application/octet-stream

string <binary>

## 400 BadRequest

RESPONSE SCHEMA: application/json

| | |
|---|---|
| `type` required | string |
| `message` required | string |

## 401 AuthenticationError

RESPONSE SCHEMA: application/json

| | |
|---|---|
| `type` required | string |
| `message` required | string |

**403** AuthorizationError

RESPONSE SCHEMA: application/json

| | |
|---|---|
| type<br>required | string |
| message<br>required | string |

**404** NotFoundError

RESPONSE SCHEMA: application/json

| | |
|---|---|
| type<br>required | string |
| message<br>required | string |

**500** GenericError

RESPONSE SCHEMA: application/json

| | |
|---|---|
| type<br>required | string |
| message<br>required | string |

# GET - Ek Dosyayı Günlükten Al

AUTHORIZATIONS: ( Api Key ) **OR** ( Basic ) **OR** ( Session )

PATH PARAMETERS

| | |
|---|---|
| caseId<br>required | string<br>Example: `~354`<br>The _id of the entity or its 'name' (depends of the entity) |
| attachmentId<br>required | string<br>Example: `~354`<br>The _id of the entity or its 'name' (depends of the entity) |

HEADER PARAMETERS

| | |
|---|---|
| If-None-Match | string |

## Yanıtlar

### 200

RESPONSE HEADERS

| | |
|---|---|
| Content-Type<br>required | string |
| Content-Length<br>required | integer <int64> |
| ETag | string |
| Content-Security-Policy<br>required | string |
| Referrer-Policy<br>required | string |

RESPONSE SCHEMA: application/octet-stream

string <binary>

### 304

### 400 BadRequest

RESPONSE SCHEMA: application/json

| | |
|---|---|
| type<br>required | string |
| message<br>required | string |

**401** AuthenticationError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**403** AuthorizationError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**404** NotFoundError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**500** GenericError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

# GET - Gözlemden Ek Dosyayı Al

AUTHORIZATIONS: ( Api Key ) **OR** ( Basic ) **OR** ( Session )

PATH PARAMETERS

| | |
|---|---|
| observableId<br>required | string<br>Example: `~354`<br>The _id of the entity or its 'name' (depends of the entity) |
| attachmentId<br>required | string<br>Example: `~354`<br>The _id of the entity or its 'name' (depends of the entity) |

HEADER PARAMETERS

| | |
|---|---|
| If-None-Match | string |

# Yanıtlar

**200**

RESPONSE HEADERS

| | |
|---|---|
| Content-Type<br>required | string |
| Content-Length<br>required | integer <int64> |
| ETag | string |
| Content-Security-Policy<br>required | string |
| Referrer-Policy<br>required | string |

RESPONSE SCHEMA: application/octet-stream

string <binary>

**304**

**400** BadRequest

RESPONSE SCHEMA: application/json

| | |
|---|---|
| type<br>required | string |
| message<br>required | string |

**401** AuthenticationError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**403** AuthorizationError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**404** NotFoundError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

**500** GenericError

RESPONSE SCHEMA: application/json

| | | |
|---|---|---|
| type<br>required | string | |
| message<br>required | string | |

Revision #3
Created 14 April 2024 19:51:13 by Güldeniz Akca
Updated 14 April 2024 23:08:55 by Güldeniz Akca