

MISP

GET - MISP Durumunu Al

AUTHORIZATIONS:

([Api Key](#)) **OR** ([Basic](#)) **OR** ([Session](#))

Yanıtlar

✓ 200

RESPONSE SCHEMA: application/json

object (JsonObject)

✓ 400 BadRequest

RESPONSE SCHEMA: application/json

type required	string
message required	string

✓ 401 AuthenticationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

✓ 403 AuthorizationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 500 GenericError

RESPONSE SCHEMA: application/json

type required	string
message required	string

GET - MISP Sunucuları ile Senkronize Et

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

Yanıtlar

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 500 GenericError

RESPONSE SCHEMA: application/json

type required	string
message required	string

POST - Vakayı MISP'e Aktar

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

PATH PARAMETERS

caseId required	string Example: ~354 The _id of the entity or its 'name' (depends of the entity)
mispName required	string

Yanıtlar

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 500 GenericError

RESPONSE SCHEMA: application/json

type required	string
message required	string

POST - Vakayı MISP'ten İçer Aktar

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

REQUEST BODY SCHEMA: multipart/form-data

_json > required	object (InputImportCase1)
file required	string <binary>

Yanıtlar

<div><div>_id</div><div>required</div></div>	string
<div><div>_type</div><div>required</div></div>	string
<div><div>_createdBy</div><div>required</div></div>	string
<div><div>_updatedBy</div></div>	string
<div><div>_createdAt</div><div>required</div></div>	integer <datetime_ms>
<div><div>_updatedAt</div></div>	integer <datetime_ms>
<div><div>number</div><div>required</div></div>	<div>integer <int32></div> <div>An incremental number to reference the case. This field can be used in the apis in place of the _id</div>
<div><div>title</div><div>required</div></div>	string
<div><div>description</div><div>required</div></div>	string
<div><div>severity</div><div>required</div></div>	integer <int32>
<div><div>severityLabel</div><div>required</div></div>	string
<div><div>startDate</div><div>required</div></div>	integer <datetime_ms>
<div><div>endDate</div></div>	integer <datetime_ms>
<div><div>tags</div></div>	Array of strings
<div><div>flag</div><div>required</div></div>	boolean

tlp required	integer <int32>
tlpLabel required	string
pap required	integer <int32>
papLabel required	string
status required	string
stage required	string The value of the stage depends on the status of the case. Can be one of 'New' 'InProgress' or 'Closed'
summary	string
impactStatus	string
assignee	string
customFields ›	Array of objects (OutputCustomFieldValue)
userPermissions	Array of strings A list of permissions the current user has access on the case. This depends on the profile of the user and the sharing of the Case
extraData required	object (JsonObject)
newDate required	integer <datetime_ms>
inProgressDate	integer <datetime_ms>
closedDate	integer <datetime_ms>
alertDate	integer <datetime_ms>

└─ alertNewDate	integer <datetime_ms>
└─ alertInProgressDate	integer <datetime_ms>
└─ alertImportedDate	integer <datetime_ms>
└─ timeToDetect required	integer <int64>
└─ timeToTriage	integer <int64>
└─ timeToQualify	integer <int64>
└─ timeToAcknowledge	integer <int64>
└─ timeToResolve	integer <int64>
└─ handlingDuration	integer <int64>

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

└─ type required	string
└─ message required	string

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

└─ type required	string
└─ message required	string

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

type required	string
message required	string

▼ 500 GenericError

RESPONSE SCHEMA: application/json

type required	string
message required	string

Revision #3

Created 14 April 2024 18:44:54 by Güldeniz Akca

Updated 14 April 2024 23:03:16 by Güldeniz Akca