

Zaman Çizelgesi (Timeline)

GET - Vaka Zaman Çizelgesi Al

AUTHORIZATIONS: ([Api Key](#)) OR ([Basic](#)) OR ([Session](#))

PATH PARAMETERS

→ `caseId` string
`required`
Example: `~354`
The `_id` of the entity or its 'name' (depends of the entity)

Yanıtlar

✓ 200

RESPONSE SCHEMA: application/json

→ events > Array of objects (OutputTimelineEvent)

✓ 400 BadRequest

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

✓ 401 AuthenticationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

✓ 403 AuthorizationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 500 GenericError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

POST - Özel Olay Oluştur

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

PATH PARAMETERS

| | |
|--------------------|--|
| caseId required | string Example: ~354 The _id of the entity or its 'name' (depends of the entity) |
|--------------------|--|

REQUEST BODY SCHEMA: application/json

| | |
|-------------------|--------------------------------|
| date required | integer <datetime_ms> |
| endDate | integer <datetime_ms> |
| title required | string [1 .. 128] characters |
| description | string <= 1048576 characters |

Yanıtlar

RESPONSE SCHEMA: application/json

| | |
|--|-----------------------|
| <code>_id</code> <code>required</code> | string |
| <code>_type</code> <code>required</code> | string |
| <code>_createdBy</code> <code>required</code> | string |
| <code>_updatedBy</code> | string |
| <code>_createdAt</code> <code>required</code> | integer <datetime_ms> |
| <code>_updatedAt</code> | integer <datetime_ms> |
| <code>date</code> <code>required</code> | integer <datetime_ms> |
| <code>endDate</code> | integer <datetime_ms> |
| <code>title</code> <code>required</code> | string |
| <code>description</code> | string |

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

```

  type
    required string
  message
    required string

```

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 500 GenericError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

DEL - Özel Bir Olayı Sil

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

PATH PARAMETERS

| | |
|---------------------|--|
| eventId required | string Example: ~354 The _id of the entity or its 'name' (depends of the entity) |
|---------------------|--|

Yanıtlar

— 204

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 500 GenericError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

PATCH - Özel Bir Olayı Güncelle

AUTHORIZATIONS: (Api Key) OR (Basic) OR (Session)

PATH PARAMETERS

| | |
|---------------------|--|
| eventId required | string Example: ~354 The _id of the entity or its 'name' (depends of the entity) |
|---------------------|--|

REQUEST BODY SCHEMA: application/json

| | |
|-------------|---|
| date | integer <datetime_ms> |
| endDate | integer <datetime_ms or null> |
| title | string [1 .. 128] characters |
| description | string <nullable> <= 1048576 characters |

Yanıtlar

▼ 400 BadRequest

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 401 AuthenticationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 403 AuthorizationError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 404 NotFoundError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

▼ 500 GenericError

RESPONSE SCHEMA: application/json

| | |
|---------------------|--------|
| type required | string |
| message required | string |

Revision #2

Created 14 April 2024 14:11:21 by Güldeniz Akca

Updated 14 April 2024 22:40:57 by Güldeniz Akca