

# Attributes

[restSearch] Get a filtered and paginated list of attributes:

POST

<https://misp.local/attributes/restSearch>

Request:

```
{  
    "page": 1,  
    "limit": 0,  
    "value": "127.0.0.1",  
    "value1": "127.0.0.1",  
    "value2": "127.0.0.1",  
    "type": "md5",  
    "category": "Internal reference",  
    "org": "12345",  
    "tags": [  
        "tlp:amber"  
    ],  
    "from": "string",  
    "to": "string",  
    "last": 0,  
    "eventid": "12345",  
    "withAttachments": false,  
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
    "publish_timestamp": "1617875568",  
    "published": false,  
    "timestamp": "1617875568",  
    "attribute_timestamp": "1617875568",  
    "enforceWarninglist": true,  
    "to_ids": true,  
    "deleted": false,
```

```
"event_timestamp": "1617875568",
"threat_level_id": "1",
"eventinfo": "string",
"sharinggroup": [
    "1"
],
"decayingModel": "string",
"score": "string",
"first_seen": "string",
"last_seen": "string",
"includeEventUuid": false,
"includeEventTags": false,
"includeProposals": false,
"requested_attributes": [
    "id"
],
"includeContext": true,
"headerless": true,
"includeWarninglistHits": true,
"attackGalaxy": "mitre-attack",
"object_relation": "filepath",
"includeSightings": true,
"includeCorrelations": true,
"modelOverrides": {
    "lifetime": 3,
    "decay_speed": 2.3,
    "threshold": 30,
    "default_base_score": 80,
    "base_score_config": {
        "estimative-language:confidence-in-analytic-judgment": 0.25,
        "estimative-language:likelihood-probability": 0.25,
        "phishing:psychological-acceptability": 0.25,
        "phishing:state": 0.2
    }
},
"includeDecayScore": false,
"includeFullModel": false,
"excludeDecayed": false,
"returnFormat": "json"
}
```

## Response:

**200:**

```
{  
  "response": {  
    "Attribute": [  
      {  
        "id": "12345",  
        "event_id": "12345",  
        "object_id": "12345",  
        "object_relation": "sensor",  
        "category": "Internal reference",  
        "type": "md5",  
        "value": "127.0.0.1",  
        "to_ids": true,  
        "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
        "timestamp": "1617875568",  
        "distribution": "0",  
        "sharing_group_id": "1",  
        "comment": "logged source ip",  
        "deleted": false,  
        "disable_correlation": false,  
        "first_seen": "1581984000000000",  
        "last_seen": "1581984000000000",  
        "data": "string",  
        "event_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
        "decay_score": [  
          {  
            "score": 10.5,  
            "base_score": 80,  
            "decayed": true,  
            "DecayingModel": {  
              "id": "12345",  
              "name": "Phishing model"  
            }  
          }  
        ],  
        "Event": {  
          "id": "12345",  
        }  
      }  
    ]  
  }  
}
```

```
"org_id": "12345",
"distribution": "0",
"info": "logged source ip",
"orgc_id": "12345",
"uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"date": "1991-01-15",
"published": false,
"analysis": "0",
"attribute_count": "321",
"timestamp": "1617875568",
"sharing_group_id": "1",
"proposal_email_lock": true,
"locked": true,
"threat_level_id": "1",
"publish_timestamp": "1617875568",
"sighting_timestamp": "1617875568",
"disable_correlation": false,
"extends_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"event_creator_email": "user@example.com"
},
"Object": {
"id": "12345",
"name": "ail-leak",
"meta-category": "string",
"description": "string",
"template_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"template_version": "1",
"event_id": "12345",
"uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"timestamp": "1617875568",
"distribution": "0",
"sharing_group_id": "1",
"comment": "string",
"deleted": true,
"first_seen": "1581984000000000",
"last_seen": "1581984000000000",
"Attribute": [
{
"id": "12345",
"event_id": "12345",
```

```
        "object_id": "12345",
        "object_relation": "sensor",
        "category": "Internal reference",
        "type": "md5",
        "value": "127.0.0.1",
        "to_ids": true,
        "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
        "timestamp": "1617875568",
        "distribution": "0",
        "sharing_group_id": "1",
        "comment": "logged source ip",
        "deleted": false,
        "disable_correlation": false,
        "first_seen": "1581984000000000",
        "last_seen": "1581984000000000"
    }
]
},
"Tag": [
{
    "id": "12345",
    "name": "tlp:white",
    "colour": "#ffffff",
    "exportable": true,
    "org_id": "12345",
    "user_id": "12345",
    "hide_tag": false,
    "numerical_value": "12345",
    "is_galaxy": true,
    "is_custom_galaxy": true,
    "inherited": 1
}
]
}
]
```

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Add an attribute:

POST

<https://misp.local/attributes/add/{eventId}>

### Request:

```
{  
  "event_id": "12345",  
  "object_id": "12345",  
  "object_relation": "sensor",  
  "category": "Internal reference",  

```

```
"first_seen": "1581984000000000",
"last_seen": "1581984000000000"
}
```

## Response:

### **200:**

```
{
  "Attribute": {
    "id": "12345",
    "event_id": "12345",
    "object_id": "12345",
    "object_relation": "sensor",
    "category": "Internal reference",
    "type": "md5",
    "value": "127.0.0.1",
    "to_ids": true,
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "timestamp": "1617875568",
    "distribution": "0",
    "sharing_group_id": "1",
    "comment": "logged source ip",
    "deleted": false,
    "disable_correlation": false,
    "first_seen": "1581984000000000",
    "last_seen": "1581984000000000"
  }
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

### **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Edit an attribute:

PUT

<https://misp.local/attributes/edit/{attributeld}>

### Request:

```
{  
  "id": "12345",  
  "event_id": "12345",  
  "object_id": "12345",  
  "object_relation": "sensor",  
  "category": "Internal reference",  
  "type": "md5",  
  "value": "127.0.0.1",  
  "to_ids": true,  
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
  "timestamp": "1617875568",  
  "distribution": "0",  
  "sharing_group_id": "1",  
  "comment": "logged source ip",  
  "deleted": false,  
  "disable_correlation": false,  
  "first_seen": "1581984000000000",  
  "last_seen": "1581984000000000"  
}
```

### Response:

**200:**

```
{  
  "Attribute": {  
    "id": "12345",  
    "event_id": "12345",  
    "object_id": "12345",  
    "object_relation": "sensor",  
    "category": "Internal reference",  
    "type": "md5",  
    "value": "127.0.0.1",  
    "to_ids": true,  
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
    "timestamp": "1617875568",  
    "distribution": "0",  
    "sharing_group_id": "1",  
    "comment": "logged source ip",  
    "deleted": false,  
    "disable_correlation": false,  
    "first_seen": "1581984000000000",  
    "last_seen": "1581984000000000"  
  }  
}
```

#### 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

#### 404:

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Delete an attribute:

DELETE

<https://misp.local/attributes/delete/{attributeId}>

### Response:

#### **200:**

```
{  
  "message": "Attribute deleted."  
}
```

#### **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

#### **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"
```

```
}
```

## **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Restore an attribute:

POST

<https://misp.local/attributes/restore/{attributeld}>

## Response:

### **200:**

```
{
  "Attribute": {
    "id": "12345",
    "event_id": "12345",
    "object_id": "12345",
    "object_relation": "sensor",
    "category": "Internal reference",
    "type": "md5",
    "value": "127.0.0.1",
    "to_ids": true,
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "timestamp": "1617875568",
    "distribution": "0",
    "sharing_group_id": "1",
    "comment": "logged source ip",
    "deleted": false,
    "disable_correlation": false,
    "first_seen": "1581984000000000",
    "last_seen": "1581984000000000"
  }
}
```

```
}
```

## **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
  Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
  Authorization header.",  
  "url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

Add a tag to an attribute:

POST

<https://misp.local/attributes/addTag/{attributeId}/{tagId}/local:{local}>

Response:

## **200:**

```
{  
  "saved": true,  
  "success": "Tag added.",  
  "check_publish": true,  
  "errors": "Tag could not be added."  
}
```

## **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"
```

## **Remove a tag from an attribute:**

POST

<https://misp.local/attributes/removeTag/{attributeld}/{tagId}>

Response:

## 200:

```
{  
  "saved": true,  
  "success": "Tag removed.",  
  "check_publish": true,  
  "errors": "Tag could not be added."  
}
```

## 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## 404:

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## Default:

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Get a list of attributes:

GET

<https://misp.local/attributes>

## Response:

### 200:

```
[  
 {  
   "id": "12345",  
   "event_id": "12345",  
   "object_id": "12345",  
   "object_relation": "sensor",  
   "category": "Internal reference",  
   "type": "md5",  
   "value": "127.0.0.1",  
   "to_ids": true,  
   "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
   "timestamp": "1617875568",  
   "distribution": "0",  
   "sharing_group_id": "1",  
   "comment": "logged source ip",  
   "deleted": false,  
   "disable_correlation": false,  
   "first_seen": "1581984000000000",  
   "last_seen": "1581984000000000"  
 }  
 ]
```

### 403:

```
{  
   "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
   "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
   "url": "/attributes"  
 }
```

### Default:

```
{  
   "name": "string",  
   "message": "string",
```

```
        "url": "/attributes"  
    }  
}
```

## Get the count of attributes per category:

GET

<https://misp.local/attributes/attributeStatistics/{context}/{percentage}>

Response:

### 200:

```
[  
  {  
    "Antivirus detection": "10"  
  },  
  {  
    "Artifacts dropped": "20"  
  }  
]
```

### 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

### Default:

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Get a list of the available attribute types:

GET

<https://misp.local/attributes/describeTypes>

Response:

200:

```
{  
    "sane_defaults": {  
        "md5": {  
            "default_category": "Payload delivery",  
            "to_ids": 1  
        },  
        "pdb": {  
            "default_category": "Artifacts dropped",  
            "to_ids": 0  
        }  
    },  
    "types": [  
        "md5"  
    ],  
    "categories": [  
        "Internal reference"  
    ],  
    "category_type_mappings": {  
        "Internal reference": [  
            "text",  
            "link",  
            "comment",  
            "other"  
        ],  
        "Antivirus detection": [  
            "link",  
            "comment",  
            "text",  
            "hex",  
            "file"  
        ]  
    }  
}
```

```
        "other"  
    ]  
}  
}
```

## 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## Default:

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

---

Revision #5

Created 13 April 2024 13:23:43 by İlayda Durlanık  
Updated 13 April 2024 18:33:03 by İlayda Durlanık