Auth key

Get auth keys:

POST

https://misp.local/auth_keys

Request:


```
[
  {
    "AuthKey": {
      "id": "12345",
      "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
      "authkey_start": "stri",
      "authkey_end": "stri",
      "created": "1617875568",
      "expiration": "1970-01-01 00:00:00",
      "read_only": true,
      "user_id": "12345",
      "comment": "string",
      "allowed_ips": [
        "127.0.0.1"
      ],
      "last_used": "1617875568"
    },
    "User": {
      "id": "12345",
      "email": "user@example.com"
    }
  }
]
```


Response:

200:


```
[
  {
    "Log": {
      "id": "12345",
      "title": "Attribute (448272) from Event (1): Other/text foo",
      "created": "string",
      "model": "AdminSetting",
      "model_id": "12345",
      "action": "accept",
      "user_id": "12345",
      "change": "name () => (ORGNAME)",
      "email": "user@example.com",
      "org": "ORGNAME",
      "description": "Organisation \"ORGNAME\" (1) added by User \"SYSTEM\" (0).",
      "ip": "10.0.0.10"
    }
  }
]
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:

```
{
 "name": "string",
 "message": "string",
 "url": "/attributes"
}
```


Search auth keys:

POST

https://misp.local/auth_keys

Request:


```
{
 "page": 1,
 "limit": 0,
 "id": "12345",
 "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
 "authkey_start": "string",
 "authkey_end": "string",
 "created": "string",
 "expiration": "string",
 "read_only": true,
 "user_id": "12345",
 "comment": "string",
 "allowed_ips": "[\"127.0.0.1\",\"127.0.0.2\"]",
 "last_used": "string"
}
```


Response:

200:


```
[
 {
  "AuthKey": {
   "id": "12345",
   "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
```

```
      "authkey_start": "stri",
      "authkey_end": "stri",
      "created": "1617875568",
      "expiration": "1970-01-01 00:00:00",
      "read_only": true,
      "user_id": "12345",
      "comment": "string",
      "allowed_ips": [
        "127.0.0.1"
      ],
      "last_used": "1617875568"
    },
    "User": {
      "id": "12345",
      "email": "user@example.com"
    }
  }
]
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
```

```
  "message": "string",
  "url": "/attributes"
}
```


Add auth keys:

> POST

> https://misp.local/auth_keys/add/{userId}

Request:


```
{
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
  "read_only": true,
  "user_id": "12345",
  "comment": "string",
  "allowed_ips": [
    "127.0.0.1"
  ]
}
```


Response:

200:


```
{
  "AuthKey": {
    "id": "12345",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "authkey_start": "stri",
    "authkey_end": "stri",
    "created": "1617875568",
    "expiration": "1970-01-01 00:00:00",
    "read_only": true,
    "user_id": "12345",
    "comment": "string",
    "allowed_ips": [
      "127.0.0.1"
```

```
    ],
    "last_used": "1617875568"
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


View auth key:

GET

https://misp.local/auth_keys/add/{userId}

Response:

200:


```
{
  "AuthKey": {
    "id": "12345",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "authkey_start": "stri",
    "authkey_end": "stri",
    "created": "1617875568",
    "expiration": "1970-01-01 00:00:00",
    "read_only": true,
    "user_id": "12345",
    "comment": "string",
    "allowed_ips": [
      "127.0.0.1"
    ],
    "last_used": "1617875568"
  },
  "User": {
    "id": "12345",
    "org_id": "12345",
    "email": "user@example.com"
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
```

```
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Edit auth key:

POST

https://misp.local/auth_keys/add/{userId}

Request:


```
{
  "read_only": true,
  "comment": "string",
  "allowed_ips": [
    "127.0.0.1"
  ]
}
```


Response:

200:


```
{
  "AuthKey": {
    "id": "12345",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "authkey_start": "stri",
    "authkey_end": "stri",
    "created": "1617875568",
    "expiration": "1970-01-01 00:00:00",
    "read_only": true,
```

```
    "user_id": "12345",
    "comment": "string",
    "allowed_ips": [
      "127.0.0.1"
    ],
    "last_used": "1617875568"
  },
  "User": {
    "id": "12345",
    "org_id": "12345",
    "email": "user@example.com"
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Delete auth key:

DELETE

https://misp.local/auth_keys/delete/{authKeyId}

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "AuthKey deleted.",
  "message": "AuthKey deleted.",
  "url": "/auth_keys/delete/1234"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
```

```
  "message": "string",
  "url": "/attributes"
}
```

Revision #1
Created 13 April 2024 18:03:24 by İlayda Durlanık
Updated 13 April 2024 18:10:01 by İlayda Durlanık