

# Feed

Get a list of feeds:

GET

<https://misp.local/feeds>

Response:

**200:**

```
[
  {
    "Feed": {
      "id": "3",
      "name": "CIRCL OSINT Feed",
      "provider": "CIRCL",
      "url": "https://www.circl.lu/doc/misp/feed-osint",
      "rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":{\"\"}}",
      "enabled": true,
      "distribution": "0",
      "sharing_group_id": "1",
      "tag_id": "12345",
      "default": true,
      "source_format": "1",
      "fixed_event": true,
      "delta_merge": true,
      "event_id": "12345",
      "publish": false,
      "override_ids": true,
      "settings":
        "{\"csv\":{\"value\":\"\",\"delimiter\":\"\"},\"common\":{\"excluderegex\":\"\"},\"disable_correlation\":\"1\"}",
      "input_source": "local",
      "delete_local_file": true,
    }
  }
]
```

```
"lookup_visible": true,
"headers": "X-Custom-Header-A: Foo\nX-Custom-Header-B: Bar\n",
"cache_enabled": true,
"force_to_ids": true,
"orgc_id": "12345",
"cache_timestamp": "1617875568"
}
}
]
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```


### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Get a feed by ID:



GET

https://misp.local/feeds/view/{feedId}

## Response:

**200:**

```
{
  "Feed": {
    "id": "3",
    "name": "CIRCL OSINT Feed",
    "provider": "CIRCL",
    "url": "https://www.circl.lu/doc/misp/feed-osint",
    "rules": "{\"tags\":{\\\"OR\\\":[],\\\"NOT\\\":[]},\\\"orgs\\\":{\\\"OR\\\":[],\\\"NOT\\\":[]},\\\"url_params\\\":\\\"\\\"}\",
    \"enabled\": true,
    \"distribution\": \"0\",
    \"sharing_group_id\": \"1\",
    \"tag_id\": \"12345\",
    \"default\": true,
    \"source_format\": \"1\",
    \"fixed_event\": true,
    \"delta_merge\": true,
    \"event_id\": \"12345\",
    \"publish\": false,
    \"override_ids\": true,
    \"settings\":
    \"{\\\"csv\\\":{\\\"value\\\":\\\"\\\",\\\"delimiter\\\":\\\"\\\"},\\\"common\\\":{\\\"excluderegex\\\":\\\"\\\"},\\\"disable_correlation\\\":\\\"1\\\"}\",
    \"input_source\": \"local\",
    \"delete_local_file\": true,
    \"lookup_visible\": true,
    \"headers\": \"X-Custom-Header-A: Foo\\nX-Custom-Header-B: Bar\\n\",
    \"caching_enabled\": true,
    \"force_to_ids\": true,
    \"orgc_id\": \"12345\",
    \"cache_timestamp\": \"1617875568\"
  }
}
```

**403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Add a feed:

POST

<https://misp.local/feeds/view/{feedId}>

### Request:

```
{
  "name": "CIRCL OSINT Feed",
  "provider": "CIRCL",
  "url": "https://www.circl.lu/doc/misp/feed-osint",
}
```

```
"rules": "{\tags\":{\OR\":[],\NOT\":[]},\orgs\":{\OR\":[],\NOT\":[]},\url_params\":\}\",
\"enabled\": true,
\"distribution\": \"0\",
\"sharing_group_id\": \"1\",
\"tag_id\": \"12345\",
\"source_format\": \"1\",
\"fixed_event\": true,
\"delta_merge\": true,
\"event_id\": \"12345\",
\"publish\": false,
\"override_ids\": true,
\"input_source\": \"local\",
\"delete_local_file\": true,
\"lookup_visible\": true,
\"headers\": \"X-Custom-Header-A: Foo\nX-Custom-Header-B: Bar\n\",
\"caching_enabled\": true,
\"force_to_ids\": true,
\"orgc_id\": \"12345\"
}
```

## Response:

### 200:

```
{
  \"Feed\": {
    \"id\": \"3\",
    \"name\": \"CIRCL OSINT Feed\",
    \"provider\": \"CIRCL\",
    \"url\": \"https://www.circl.lu/doc/misp/feed-osint\",
    \"rules\": \"{\\tags\\\":{\\OR\\\":[],\\NOT\\\":[]},\\orgs\\\":{\\OR\\\":[],\\NOT\\\":[]},\\url_params\\\":\\}\\\",
    \"enabled\": true,
    \"distribution\": \"0\",
    \"sharing_group_id\": \"1\",
    \"tag_id\": \"12345\",
    \"default\": true,
    \"source_format\": \"1\",
    \"fixed_event\": true,
    \"delta_merge\": true,
    \"event_id\": \"12345\",
```

```
"publish": false,
"override_ids": true,
"settings":
{"csv":{"value":"","delimiter":"","common":{"excluderegex":"","disable_correlation":"","1"},"
"input_source": "local",
"delete_local_file": true,
"lookup_visible": true,
"headers": "X-Custom-Header-A: Foo\nX-Custom-Header-B: Bar\n",
"cacheing_enabled": true,
"force_to_ids": true,
"orgc_id": "12345",
"cache_timestamp": "1617875568"
}
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Edit a feed:

PUT

<https://misp.local/feeds/edit/{feedId}>

### Request:

```
{
  "id": "3",
  "name": "CIRCL OSINT Feed",
  "provider": "CIRCL",
  "url": "https://www.circl.lu/doc/misp/feed-osint",
  "rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":{\"\"}}",
  "enabled": true,
  "distribution": "0",
  "sharing_group_id": "1",
  "tag_id": "12345",
  "source_format": "1",
  "fixed_event": true,
  "delta_merge": true,
  "event_id": "12345",
  "publish": false,
  "override_ids": true,
  "input_source": "local",
  "delete_local_file": true,
  "lookup_visible": true,
  "headers": "X-Custom-Header-A: Foo\nX-Custom-Header-B: Bar\n",
  "caching_enabled": true,
  "force_to_ids": true,
  "orgc_id": "12345"
}
```

### Response:

**200:**

```

{
  "Feed": {
    "id": "3",
    "name": "CIRCL OSINT Feed",
    "provider": "CIRCL",
    "url": "https://www.circl.lu/doc/misp/feed-osint",
    "rules": "{\n\"tags\":{\n\"OR\":[],\n\"NOT\":[]},\n\"orgs\":{\n\"OR\":[],\n\"NOT\":[]},\n\"url_params\":{\n\"\"}\",
    "enabled": true,
    "distribution": "0",
    "sharing_group_id": "1",
    "tag_id": "12345",
    "default": true,
    "source_format": "1",
    "fixed_event": true,
    "delta_merge": true,
    "event_id": "12345",
    "publish": false,
    "override_ids": true,
    "settings":
    "{\n\"csv\":{\n\"value\":{\n\"\"},\n\"delimiter\":{\n\"\"},\n\"common\":{\n\"excluderegex\":{\n\"\"},\n\"disable_correlation\":{\n\"1\"}\",
    "input_source": "local",
    "delete_local_file": true,
    "lookup_visible": true,
    "headers": "X-Custom-Header-A: Foo\nX-Custom-Header-B: Bar\n",
    "caching_enabled": true,
    "force_to_ids": true,
    "orgc_id": "12345",
    "cache_timestamp": "1617875568"
  }
}

```

### **403:**

```

{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}

```



## **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

## **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

# Enable feed:

POST

<https://misp.local/feeds/enable/{feedId}>

## Response:

## **200:**

```
{
  "name": "Feed enabled.",
  "message": "Feed enabled.",
  "url": "/feeds/enable/1"
}
```

## **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
  Authorization header.",
}
```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
"url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Disable feed:

POST

<https://misp.local/feeds/disable/{feedId}>

## Response:

#### **200:**

```
{
  "name": "Feed disabled.",
  "message": "Feed disabled.",
  "url": "/feeds/disable/1"
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Cache feeds:

POST

<https://misp.local/feeds/cacheFeeds/{cacheFeedsScope}>

## Response:

### **200:**

```
{
  "name": "Feed caching job initiated.",
  "message": "Feed caching job initiated.",
  "url": "/feeds/cacheFeed"
}
```

#### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Fetch from feed by ID:

POST

<https://misp.local/feeds/fetchFromFeed/{feedId}>

## Response:

### **200:**

```
{
  "result": "Pull queued for background execution."
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Fetch from all feeds:

POST

<https://misp.local/feeds/fetchFromAllFeeds>

## Response:

### **200:**

```
{
  "result": "Pull queued for background execution."
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

---

Revision #4

Created 13 April 2024 17:19:13 by İlayda Durlanık

Updated 13 April 2024 17:34:32 by İlayda Durlanık