

Organisations

Add organisation:

POST

<https://misp.local/admin/organisations/add>

Request:

```
{
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
  "uuid": "string",
  "contacts": "string",
  "local": true,
  "restricted_to_domain": [
    "example.com"
  ],
  "landingpage": "string",
  "user_count": "3",
  "created_by_email": "string"
}
```

Response:

200:

```
{
  "id": "12345",
```

```
"name": "ORGNAME",
"date_created": "2021-06-14 14:29:19",
"date_modified": "2021-06-14 14:29:19",
"description": "string",
"type": "ADMIN",
"nationality": "string",
"sector": "string",
"created_by": "12345",
"uuid": "string",
"contacts": "string",
"local": true,
"restricted_to_domain": [
  "example.com"
],
"landingpage": "string",
"user_count": "3",
"created_by_email": "string"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
```

```
"message": "string",  
"url": "/attributes"  
}
```

Edit organisation:

PUT

<https://misp.local/admin/organisations/edit/{organisationId}>

Request:

```
{  
  "name": "ORGNAME",  
  "type": "ADMIN",  
  "nationality": "string",  
  "sector": "string",  
  "contacts": "string",  
  "description": "string",  
  "local": true,  
  "uuid": "095be615-a8ad-4c33-8e9c-c7612fbf6c9f",  
  "restricted_to_domain": [  
    "example.com"  
  ]  
}
```

Response:

200:

```
{  
  "id": "12345",  
  "name": "ORGNAME",  
  "date_created": "2021-06-14 14:29:19",  
  "date_modified": "2021-06-14 14:29:19",  
  "description": "string",  
  "type": "ADMIN",  
  "nationality": "string",  
  "sector": "string",  
}
```

```
"created_by": "12345",
"uuid": "string",
"contacts": "string",
"local": true,
"restricted_to_domain": [
  "example.com"
],
"landingpage": "string",
"user_count": "3",
"created_by_email": "string"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Delete organisation:

DELETE

<https://misp.local/admin/organisations/delete/{organisationId}>

Response:

200:

```
{
  "saved": true,
  "success": true,
  "name": "Organisation deleted",
  "message": "Organisation deleted",
  "url": "/admin/organisations/delete/1"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

```
}
```

Get organisations:

GET

<https://misp.local/organisations>

Response:

200:

```
[
  {
    "Organisation": {
      "id": "12345",
      "name": "ORGNAME",
      "date_created": "2021-06-14 14:29:19",
      "date_modified": "2021-06-14 14:29:19",
      "description": "string",
      "type": "ADMIN",
      "nationality": "string",
      "sector": "string",
      "created_by": "12345",
      "uuid": "string",
      "contacts": "string",
      "local": true,
      "restricted_to_domain": [
        "example.com"
      ],
      "landingpage": "string",
      "user_count": "3",
      "created_by_email": "string"
    }
  }
]
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Get organisation by ID:

GET

<https://misp.local/organisations/view/{organisationId}>

Response:

200:

```
{
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
}
```

```
"description": "string",
"type": "ADMIN",
"nationality": "string",
"sector": "string",
"created_by": "12345",
"uuid": "string",
"contacts": "string",
"local": true,
"restricted_to_domain": [
  "example.com"
],
"landingpage": "string",
"user_count": "3",
"created_by_email": "string"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Revision #4

Created 13 April 2024 16:18:41 by İlayda Durlanık

Updated 13 April 2024 16:41:46 by İlayda Durlanık