Server

Add server:

POST

https://misp.local/servers/add

Request:


```
{
  "name": "Phising Server",
  "url": "https://mispppriv.circl.lu",
  "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
  "org_id": "12345",
  "push": true,
  "pull": true,
  "push_sightings": true,
  "push_galaxy_clusters": true,
  "pull_galaxy_clusters": true,
  "lastpulledid": "12345",
  "lastpushedid": "12345",
  "organization": "string",
  "remote_org_id": "12345",
  "publish_without_email": true,
  "unpublish_event": true,
  "self_signed": true,
  "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
  "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
  "cert_file": "string",
  "client_cert_file": "string",
  "internal": true,
  "skip_proxy": true,
  "caching_enabled": true,
  "priority": "1",
```

```
  "cache_timestamp": true
}
```


Response:

200:


```
{
  "Server": {
    "id": "12345",
    "name": "Phising Server",
    "url": "https://mispriv.circl.lu",
    "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
    "org_id": "12345",
    "push": true,
    "pull": true,
    "push_sightings": true,
    "push_galaxy_clusters": true,
    "pull_galaxy_clusters": true,
    "lastpulledid": "12345",
    "lastpushedid": "12345",
    "organization": "string",
    "remote_org_id": "12345",
    "publish_without_email": true,
    "unpublish_event": true,
    "self_signed": true,
    "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
    "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
    "cert_file": "string",
    "client_cert_file": "string",
    "internal": true,
    "skip_proxy": true,
    "caching_enabled": true,
    "priority": "1",
    "cache_timestamp": true
  }
}
```


403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Edit server:

PUT

https://misp.local/servers/edit/{serverId}

Request:


```
{
  "id": "12345",
  "name": "Phising Server",
  "url": "https://mispppriv.circl.lu",
  "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
  "org_id": "12345",
```

```
  "push": true,
  "pull": true,
  "push_sightings": true,
  "push_galaxy_clusters": true,
  "pull_galaxy_clusters": true,
  "lastpulledid": "12345",
  "lastpushedid": "12345",
  "organization": "string",
  "remote_org_id": "12345",
  "publish_without_email": true,
  "unpublish_event": true,
  "self_signed": true,
  "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
  "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
  "cert_file": "string",
  "client_cert_file": "string",
  "internal": true,
  "skip_proxy": true,
  "caching_enabled": true,
  "priority": "1",
  "cache_timestamp": true
}
```


Response:

200:


```
{
  "Server": {
    "id": "12345",
    "name": "Phising Server",
    "url": "https://misppriv.circl.lu",
    "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
    "org_id": "12345",
    "push": true,
    "pull": true,
    "push_sightings": true,
    "push_galaxy_clusters": true,
    "pull_galaxy_clusters": true,
    "lastpulledid": "12345",
```

```
    "lastpushedid": "12345",
    "organization": "string",
    "remote_org_id": "12345",
    "publish_without_email": true,
    "unpublish_event": true,
    "self_signed": true,
    "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
    "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
    "cert_file": "string",
    "client_cert_file": "string",
    "internal": true,
    "skip_proxy": true,
    "caching_enabled": true,
    "priority": "1",
    "cache_timestamp": true
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
```

```
  "url": "/attributes"
}
```


Delete server:

> POST

> https://misp.local/servers/delete/{serverId}

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Server deleted",
  "message": "Server deleted",
  "url": "/servers/delete/1"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Get servers:

GET

https://misp.local/servers

Response:

200:


```
[
  {
    "Server": {
      "id": "12345",
      "name": "Phising Server",
      "url": "https://mispriv.circl.lu",
      "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
      "org_id": "12345",
      "push": true,
      "pull": true,
      "push_sightings": true,
      "push_galaxy_clusters": true,
      "pull_galaxy_clusters": true,
      "lastpulledid": "12345",
      "lastpushedid": "12345",
      "organization": "string",
      "remote_org_id": "12345",
      "publish_without_email": true,
      "unpublish_event": true,
      "self_signed": true,
```

```
  "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
  "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
  "cert_file": "string",
  "client_cert_file": "string",
  "internal": true,
  "skip_proxy": true,
  "caching_enabled": true,
  "priority": "1",
  "cache_timestamp": true
},
"Organisation": {
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
  "uuid": "string",
  "contacts": "string",
  "local": true,
  "restricted_to_domain": [
    "example.com"
  ],
  "landingpage": "string",
  "user_count": "3",
  "created_by_email": "string"
},
"RemoteOrg": {
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
```

```
    "uuid": "string",
    "contacts": "string",
    "local": true,
    "restricted_to_domain": [
      "example.com"
    ],
    "landingpage": "string",
    "user_count": "3",
    "created_by_email": "string"
  },
  "User": [
    {
      "id": "12345",
      "org_id": "12345",
      "server_id": "12345",
      "email": "user@example.com",
      "autoalert": true,
      "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
      "invited_by": "12345",
      "gpgkey": "string",
      "certif_public": "string",
      "nids_sid": "4000000",
      "termsaccepted": true,
      "newsread": "1617875568",
      "role_id": "3",
      "change_pw": "0",
      "contactalert": true,
      "disabled": true,
      "expiration": "2019-08-24T14:15:22Z",
      "current_login": "1617875568",
      "last_login": "1617875568",
      "force_logout": true,
      "date_created": "1617875568",
      "date_modified": "1617875568"
    }
  ]
 }
]
```


403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Pull server:

GET

https://misp.local/servers/pull/{serverId}/{pullTechnique}

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Pull queued for background execution. Job ID: 1",
```

```
  "message": "Pull queued for background execution. Job ID: 1",
  "url": "/servers/pull/1"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Push server:

GET

https://misp.local/servers/push/{serverId}/{pushTechnique}

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Push queued for background execution. Job ID: 1",
  "message": "Push queued for background execution. Job ID: 1",
  "url": "/servers/push/1"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Get current instance version:

GET

https://misp.local/servers/getVersion

Response:

200:


```
{
  "version": "2.4.142",
  "perm_sync": true,
  "perm_sighting": true,
  "perm_galaxy_editor": true,
  "request_encoding": [
    "gzip"
  ]
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Get current instance PyMISP version:

GET

https://misp.local/servers/getPyMISPVersion

Response:

200:


```
{
  "version": "2.4.142"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
```

}

Get current instance settings and diagnostics:

GET

https://misp.local/servers/serverSettings

Response:

200:


```
{
  "version": {
    "current": "v2.4.142",
    "newest": "v2.4.142",
    "upToDate": "same"
  },
  "phpSettings": {
    "max_execution_time": {
      "explanation": "The maximum duration that a script can run (does not affect the background workers). A too low number will break long running scripts like comprehensive API exports",
      "recommended": 300,
      "unit": "seconds",
      "value": 300
    },
    "memory_limit": {
      "explanation": "The maximum duration that a script can run (does not affect the background workers). A too low number will break long running scripts like comprehensive API exports",
      "recommended": 300,
      "unit": "seconds",
      "value": 300
    },
    "upload_max_filesize": {
      "explanation": "The maximum duration that a script can run (does not affect the background workers). A too low number will break long running scripts like comprehensive API exports",
      "recommended": 300,
      "unit": "seconds",
```

```
      "value": 300
    },
    "post_max_size": {
      "explanation": "The maximum duration that a script can run (does not affect the background workers). A too low number will break long running scripts like comprehensive API exports",
      "recommended": 300,
      "unit": "seconds",
      "value": 300
    }
  },
  "gpgStatus": "FAIL: Failed to load GnuPG",
  "proxyStatus": "not configured (so not tested)",
  "zmqStatus": 1,
  "stix": {
    "operational": 1,
    "stix": {
      "version": "1.2.0.11",
      "expected": ">1.2.0.9",
      "status": 1
    },
    "cybox": {
      "version": "1.2.0.11",
      "expected": ">1.2.0.9",
      "status": 1
    },
    "mixbox": {
      "version": "1.2.0.11",
      "expected": ">1.2.0.9",
      "status": 1
    },
    "maec": {
      "version": "1.2.0.11",
      "expected": ">1.2.0.9",
      "status": 1
    },
    "stix2": {
      "version": "1.2.0.11",
      "expected": ">1.2.0.9",
      "status": 1
    },
```

```
  "pymisp": {
    "version": "1.2.0.11",
    "expected": ">1.2.0.9",
    "status": 1
  }
},
"moduleStatus": {
  "Enrichment": 1,
  "Import": 1,
  "Export": 1,
  "Cortex": 1
},
"writeableDirs": {
  "/tmp": 0,
  "/var/www/MISP/app/tmp": 0,
  "/var/www/MISP/app/files": 0,
  "/var/www/MISP/app/files/scripts/tmp": 0
},
"writeableFiles": {
  "/var/www/MISP/app/Config/config.php": 0,
  "/var/www/MISP/.git/ORIG_HEAD": 2
},
"readableFiles": {
  "/var/www/MISP/app/files/scripts/stixtest.py": 0
},
"dbDiagnostics": {
  "admin_settings": {
    "table": "admin_settings",
    "used": "0.03 MB",
    "reclaimable": "0 MB",
    "data_in_bytes": 16384,
    "index_in_bytes": 16384,
    "reclaimable_in_bytes": 0
  },
  "allowedlist": {
    "table": "allowedlist",
    "used": "0.02 MB",
    "reclaimable": "0 MB",
    "data_in_bytes": 16384,
    "index_in_bytes": 0,
```

```
    "reclaimable_in_bytes": 0
   }
  },
 "dbSchemaDiagnostics": {
   "dataSource": "Database/Mysql",
   "actual_db_version": "68",
   "checked_table_column": [
     "column_name"
   ],
   "diagnostic": {},
   "diagnostic_index": {
     "event_reports": {
       "event_id": {
         "message": "Column `event_id` is indexed but should not",
         "sql": "DROP INDEX `event_id` ON event_reports;"
       }
     }
   },
   "expected_db_version": "70",
   "error": "string",
   "update_locked": true,
   "remaining_lock_time": 0,
   "update_fail_number_reached": true,
   "indexes": {
     "admin_settings": {
       "id": true,
       "setting": false
     }
   },
   "columnPerTable": {
     "admin_settings": [
       "id",
       "setting",
       "value"
     ]
   }
 },
 "redisInfo": {
   "extensionVersion": "5.1.1",
   "connection": true,
```

"redis_version": "5.0.7",
"redis_git_sha1": 0,
"redis_git_dirty": 0,
"redis_build_id": "636cde3b5c7a3923",
"redis_mode": "standalone",
"os": "Linux 5.8.0-50-generic x86_64",
"arch_bits": 64,
"multiplexing_api": "epoll",
"atomicvar_api": "atomic-builtin",
"gcc_version": "9.2.1",
"process_id": 1051,
"run_id": "f894944d92c978df93a18821fb5ebe30dfd0b257",
"tcp_port": 6379,
"uptime_in_seconds": 327116,
"uptime_in_days": 3,
"hz": 10,
"configured_hz": 10,
"lru_clock": 10365184,
"executable": "/usr/bin/redis-server",
"config_file": "/etc/redis/redis.conf",
"connected_clients": 18,
"client_recent_max_input_buffer": 2,
"client_recent_max_output_buffer": 0,
"blocked_clients": 0,
"used_memory": 1309488,
"used_memory_human": "1.25M",
"used_memory_rss": 5541888,
"used_memory_rss_human": "5.29M",
"used_memory_peak": 1410464,
"used_memory_peak_human": "1.35M",
"used_memory_peak_perc": "92.84%",
"used_memory_overhead": 1200800,
"used_memory_startup": 796232,
"used_memory_dataset": 108688,
"used_memory_dataset_perc": "21.18%",
"allocator_allocated": 1480176,
"allocator_active": 1896448,
"allocator_resident": 5890048,
"total_system_memory": 33406590976,
"total_system_memory_human": "31.11G",

"used_memory_lua": 41984,
"used_memory_lua_human": "41.00K",
"used_memory_scripts": 0,
"used_memory_scripts_human": "0B",
"number_of_cached_scripts": 0,
"maxmemory": 0,
"maxmemory_human": "0B",
"maxmemory_policy": "noeviction",
"allocator_frag_ratio": 1.28,
"allocator_frag_bytes": 416272,
"allocator_rss_ratio": 3.11,
"allocator_rss_bytes": 3993600,
"rss_overhead_ratio": 0.94,
"rss_overhead_bytes": -348160,
"mem_fragmentation_ratio": 4.24,
"mem_fragmentation_bytes": 4233432,
"mem_not_counted_for_evict": 0,
"mem_replication_backlog": 0,
"mem_clients_slaves": 0,
"mem_clients_normal": 402912,
"mem_aof_buffer": 0,
"mem_allocator": "jemalloc-5.2.1",
"active_defrag_running": 0,
"lazyfree_pending_objects": 0,
"loading": 0,
"rdb_changes_since_last_save": 0,
"rdb_bgsave_in_progress": 0,
"rdb_last_save_time": 1620977919,
"rdb_last_bgsave_status": "ok",
"rdb_last_bgsave_time_sec": 0,
"rdb_current_bgsave_time_sec": -1,
"rdb_last_cow_size": 446464,
"aof_enabled": 0,
"aof_rewrite_in_progress": 0,
"aof_rewrite_scheduled": 0,
"aof_last_rewrite_time_sec": -1,
"aof_current_rewrite_time_sec": -1,
"aof_last_bgrewrite_status": "ok",
"aof_last_write_status": "ok",
"aof_last_cow_size": 0,

"total_connections_received": 289,
"total_commands_processed": 252747,
"instantaneous_ops_per_sec": 7,
"total_net_input_bytes": 12111506,
"total_net_output_bytes": 1232466,
"instantaneous_input_kbps": 0.36,
"instantaneous_output_kbps": 0.03,
"rejected_connections": 0,
"sync_full": 0,
"sync_partial_ok": 0,
"sync_partial_err": 0,
"expired_keys": 17,
"expired_stale_perc": 0,
"expired_time_cap_reached_count": 0,
"evicted_keys": 0,
"keyspace_hits": 70,
"keyspace_misses": 62805,
"pubsub_channels": 0,
"pubsub_patterns": 0,
"latest_fork_usec": 168,
"migrate_cached_sockets": 0,
"slave_expires_tracked_keys": 0,
"active_defrag_hits": 0,
"active_defrag_misses": 0,
"active_defrag_key_hits": 0,
"active_defrag_key_misses": 0,
"role": "master",
"connected_slaves": 0,
"master_replid": "d5e7afcf4fd1a31e539a4eadd5caf2a7da6d121c",
"master_replid2": 0,
"master_repl_offset": 0,
"second_repl_offset": -1,
"repl_backlog_active": 0,
"repl_backlog_size": 1048576,
"repl_backlog_first_byte_offset": 0,
"repl_backlog_histlen": 0,
"used_cpu_sys": 195.014281,
"used_cpu_user": 217.352183,
"used_cpu_sys_children": 0.050885,
"used_cpu_user_children": 0.076436,

```
    "cluster_enabled": 0,
    "db0": "keys=15,expires=0,avg_ttl=0",
    "db13": "keys=12,expires=4,avg_ttl=21265731140"
  },
  "finalSettings": [
    {
      "level": 0,
      "value": "string",
      "errorMessage": "The currently set baseurl does not match the URL through which you have accessed the page. Disregard this if you are accessing the page via an alternate URL (for example via IP address).",
      "test": "testBaseURL",
      "type": "string",
      "null": true,
      "subGroup": "Enrichment",
      "cli_only": 1,
      "redacted": true,
      "optionsSource": {},
      "afterHook": "cleanCacheFiles",
      "error": 1,
      "tab": "MISP",
      "setting": "MISP.baseurl",
      "options": {}
    }
  ],
  "extensions": {
    "cli": {
      "phpversion": "7.4.3"
    },
    "extensions": {
      "json": {
        "web_version": "7.4.3",
        "web_version_outdated": false,
        "cli_version": "7.4.3",
        "cli_version_outdated": false,
        "required": true,
        "info": null
      }
    }
  },
  "workers": {
```

```
"cache": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"default": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"email": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"prio": {
```

```
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"update": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"scheduler": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"proc_accessible": true,
"controls": true
```

```
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Get workers:

GET

https://misp.local/servers/getWorkers

Response:

200:

```
{
 "cache": {
  "ok": true,
  "workers": [
   {
    "pid": 1233,
    "user": "www-data",
    "alive": true,
    "correct_user": true,
    "ok": true
   }
  ],
  "jobCount": 0
 },
 "default": {
  "ok": true,
  "workers": [
   {
    "pid": 1233,
    "user": "www-data",
    "alive": true,
    "correct_user": true,
    "ok": true
   }
  ],
  "jobCount": 0
 },
 "email": {
  "ok": true,
  "workers": [
   {
    "pid": 1233,
    "user": "www-data",
    "alive": true,
    "correct_user": true,
    "ok": true
   }
  ],
  "jobCount": 0
 },
```

```
"prio": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"update": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"scheduler": {
  "ok": true,
  "workers": [
    {
      "pid": 1233,
      "user": "www-data",
      "alive": true,
      "correct_user": true,
      "ok": true
    }
  ],
  "jobCount": 0
},
"proc_accessible": true,
```

```
  "controls": true
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Start worker:

POST

https://misp.local/servers/startWorker/{workerType}

Response:

200:

```
{
  "saved": true,
  "success": true,
  "name": "Worker start signal sent",
  "message": "Worker start signal sent",
  "url": "/servers/startWorker/email"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Stop worker:

POST

https://misp.local/servers/stopWorker/{workerPid}

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Worker stop signal sent",
  "message": "Worker stop signal sent",
  "url": "/servers/startWorker/1234"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Kill all workers:

POST

https://misp.local/servers/killAllWorkers

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Killing workers.",
  "message": "Killing workers.",
  "url": "/servers/killAllWorkers"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
```

```
  "message": "string",
  "url": "/attributes"
}
```


Restart workers:

POST

https://misp.local/servers/restartWorkers

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Restarting workers.",
  "message": "Restarting workers.",
  "url": "/servers/restartWorkers"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
```

}

Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Restart dead workers:

POST

https://misp.local/servers/restartDeadWorkers

Response:

200:


```
{
  "saved": true,
  "success": true,
  "name": "Restarting workers.",
  "message": "Restarting workers.",
  "url": "/servers/restartDeadWorkers"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Update server:

POST

https://misp.local/servers/update

Response:

200:


```
{
  "results": [
    {
      "input": "cd $(git rev-parse --show-toplevel) && git checkout app/composer.json 2>&1",
      "output": [
        "Updated 1 path from the index"
      ],
      "status": 0
    }
  ]
}
```

403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Cache server:

POST

https://misp.local/servers/cache

Response:

200:


```
{
  "saved": true,
```

```
  "success": true,
  "name": "Server caching job initiated.",
  "message": "Server caching job initiated.",
  "url": "/servers/cache"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Create sync:

POST

https://misp.local/servers/createSync

Response:

200:


```
{
  "Server": {
    "url": "https://misppriv.circl.lu",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
    "Organisation": {
      "name": "ORGNAME",
      "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
    }
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Get instance UUID:

GET

https://misp.local/servers/getInstanceUUID

Response:

200:


```
{
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
```

}

Get server setting by name:

GET

https://misp.local/servers/getSetting/{settingName}

Response:

200:


```
{
  "level": 0,
  "value": "string",
  "errorMessage": "The currently set baseurl does not match the URL through which you have accessed the page. Disregard this if you are accessing the page via an alternate URL (for example via IP address).",
  "test": "testBaseURL",
  "type": "string",
  "null": true,
  "subGroup": "Enrichment",
  "cli_only": 1,
  "redacted": true,
  "optionsSource": {},
  "afterHook": "cleanCacheFiles",
  "error": 1,
  "tab": "MISP",
  "setting": "MISP.baseurl",
  "options": {}
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
```

```
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Edit server setting:

> POST

> https://misp.local/servers/serverSettingsEdit/{settingName}

Request:


```
{
  "value": "string"
}
```


Response:

200:


```
{
  "saved": true,
  "success": true,
```

```
  "name": "Field updated",
  "message": "Field updated",
  "url": "/servers/serverSettingsEdit"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Import server:

POST

https://misp.local/servers/import

Request:

```
{
  "name": "Phising Server",
  "url": "https://misppriv.circl.lu",
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
  "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
  "Organisation": {
    "name": "ORGNAME"
  }
}
```


Response:

200:


```
{
  "Server": {
    "id": "12345",
    "name": "Phising Server",
    "url": "https://misppriv.circl.lu",
    "authkey": "894c8d095180c7ea28789092e96ca6424199aa4f",
    "org_id": "12345",
    "push": true,
    "pull": true,
    "push_sightings": true,
    "push_galaxy_clusters": true,
    "pull_galaxy_clusters": true,
    "lastpulledid": "12345",
    "lastpushedid": "12345",
    "organization": "string",
    "remote_org_id": "12345",
    "publish_without_email": true,
    "unpublish_event": true,
    "self_signed": true,
    "pull_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]},\"url_params\":\"\"}",
    "push_rules": "{\"tags\":{\"OR\":[],\"NOT\":[]},\"orgs\":{\"OR\":[],\"NOT\":[]}}",
    "cert_file": "string",
    "client_cert_file": "string",
    "internal": true,
    "skip_proxy": true,
    "caching_enabled": true,
```

```
    "priority": "1",
    "cache_timestamp": true
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Revision #3
Created 13 April 2024 16:40:06 by İlayda Durlanık
Updated 13 April 2024 17:08:27 by İlayda Durlanık