

Sharing Group

Add a sharing group:

POST

https://misp.local/sharing_groups/add

Request:

```
{
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
  "name": "Banking Sharing Group",
  "description": "Banking Institutions of X Sharing Group",
  "releasability": "string",
  "local": true,
  "active": true,
  "org_count": "6",
  "organisation_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
  "org_id": "12345",
  "sync_user_id": "12345",
  "created": "string",
  "modified": "string",
  "roaming": true
}
```

Response:

200:

```
{
  "SharingGroup": {
    "id": "1",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "name": "Banking Sharing Group",
    "description": "Banking Institutions of X Sharing Group",
```

```
"releasability": "string",
"local": true,
"active": true,
"org_count": "6",
"organisation_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"org_id": "12345",
"sync_user_id": "12345",
"created": "string",
"modified": "string",
"roaming": true
},
"Organisation": {
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
  "uuid": "string",
  "contacts": "string",
  "local": true,
  "restricted_to_domain": [
    "example.com"
  ],
  "landingpage": "string",
  "user_count": "3",
  "created_by_email": "string"
},
"SharingGroupOrg": [
  {
    "id": "1",
    "sharing_group_id": "1",
    "org_id": "12345",
    "extend": true,
    "Organisation": {
      "id": "12345",
      "name": "ORGNAME",
```

```
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
  }
}
],
"SharingGroupServer": [
  {
    "all_orgs": true,
    "server_id": "12345",
    "sharing_group_id": "1",
    "Server": {
      "id": "12345",
      "name": "Phising Server"
    }
  }
],
"editable": true,
"deletable": true
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
```

```
"message": "string",  
"url": "/attributes"  
}
```

Edit a sharing group:

POST

https://misp.local/sharing_groups/edit/{sharingGroupId}

Request:

```
{  
  "id": "1",  
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
  "name": "Banking Sharing Group",  
  "description": "Banking Institutions of X Sharing Group",  
  "releasability": "string",  
  "local": true,  
  "active": true,  
  "org_count": "6",  
  "organisation_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",  
  "org_id": "12345",  
  "sync_user_id": "12345",  
  "created": "string",  
  "modified": "string",  
  "roaming": true  
}
```

Response:

200:

```
{  
  "SharingGroup": {  
    "id": "1",  
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
```

```
"name": "Banking Sharing Group",
"description": "Banking Institutions of X Sharing Group",
"releasability": "string",
"local": true,
"active": true,
"org_count": "6",
"organisation_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"org_id": "12345",
"sync_user_id": "12345",
"created": "string",
"modified": "string",
"roaming": true
},
"Organisation": {
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
  "uuid": "string",
  "contacts": "string",
  "local": true,
  "restricted_to_domain": [
    "example.com"
  ],
  "landingpage": "string",
  "user_count": "3",
  "created_by_email": "string"
},
"SharingGroupOrg": [
  {
    "id": "1",
    "sharing_group_id": "1",
    "org_id": "12345",
    "extend": true,
    "Organisation": {
```

```
    "id": "12345",
    "name": "ORGNAME",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
  }
}
],
"SharingGroupServer": [
  {
    "all_orgs": true,
    "server_id": "12345",
    "sharing_group_id": "1",
    "Server": {
      "id": "12345",
      "name": "Phising Server"
    }
  }
],
"editable": true,
"deletable": true
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Delete a sharing group:

DELETE

https://misp.local/sharing_groups/delete/{sharingGroupId}

Response:

200:

```
{
  "saved": true,
  "success": true,
  "name": "SharingGroup deleted",
  "message": "SharingGroup deleted",
  "url": "/sharing_groups/delete/1"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Get a list of sharing groups:

GET

https://misp.local/sharing_groups

Response:

200:

```
{
  "response": [
    {
      "SharingGroup": {
        "id": "1",
        "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
        "name": "Banking Sharing Group",
        "description": "Banking Institutions of X Sharing Group",
        "releasability": "string",
        "local": true,
        "active": true,
        "org_count": "6"
      }
    },
  ],
}
```

```

"Organisation": {
  "id": "12345",
  "name": "ORGNAME",
  "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
},
"SharingGroupOrg": [
  {
    "id": "1",
    "sharing_group_id": "1",
    "org_id": "12345",
    "extend": true,
    "Organisation": {
      "id": "12345",
      "name": "ORGNAME",
      "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
    }
  }
],
"SharingGroupServer": [
  {
    "all_orgs": true,
    "server_id": "12345",
    "sharing_group_id": "1",
    "Server": {
      "id": "12345",
      "name": "Phising Server"
    }
  }
],
"editable": true,
"deletable": true
}
]
}

```

403:

```

{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",

```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
"url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Get a sharing group by ID:

GET

https://misp.local/sharing_groups/view/{sharingGroupId}

Response:

200:

```
{
  "SharingGroup": {
    "id": "1",
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
    "name": "Banking Sharing Group",
    "description": "Banking Institutions of X Sharing Group",
  }
}
```

```
"releasability": "string",
"local": true,
"active": true,
"org_count": "6",
"organisation_uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b",
"org_id": "12345",
"sync_user_id": "12345",
"created": "string",
"modified": "string",
"roaming": true
},
"Organisation": {
  "id": "12345",
  "name": "ORGNAME",
  "date_created": "2021-06-14 14:29:19",
  "date_modified": "2021-06-14 14:29:19",
  "description": "string",
  "type": "ADMIN",
  "nationality": "string",
  "sector": "string",
  "created_by": "12345",
  "uuid": "string",
  "contacts": "string",
  "local": true,
  "restricted_to_domain": [
    "example.com"
  ],
  "landingpage": "string",
  "user_count": "3",
  "created_by_email": "string"
},
"SharingGroupOrg": [
  {
    "id": "1",
    "sharing_group_id": "1",
    "org_id": "12345",
    "extend": true,
    "Organisation": {
      "id": "12345",
      "name": "ORGNAME",
```

```
    "uuid": "c99506a6-1255-4b71-afa5-7b8ba48c3b1b"
  }
}
],
"SharingGroupServer": [
  {
    "all_orgs": true,
    "server_id": "12345",
    "sharing_group_id": "1",
    "Server": {
      "id": "12345",
      "name": "Phising Server"
    }
  }
],
"editable": true,
"deletable": true
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
```

```
"message": "string",  
"url": "/attributes"  
}
```

Add an organisation to a sharing group:

POST

https://misp.local/sharing_groups/addOrg/{sharingGroupId}/{organisationId}

Response:

200:

```
{  
  "saved": true,  
  "success": true,  
  "name": "Organisation added to the sharing group.",  
  "message": "Organisation added to the sharing group.",  
  "url": "/sharing_groups/addOrg"  
}
```

403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
Authorization header.",  
  "url": "/attributes"  
}
```

404:

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
}
```

```
"url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Remove an organisation from a sharing group:

POST

https://misp.local/sharing_groups/removeOrg/{sharingGroupId}/{organisationId}

Response:

200:

```
{
  "saved": true,
  "success": true,
  "name": "Organisation removed from the sharing group.",
  "message": "Organisation removed from the sharing group.",
  "url": "/sharing_groups/removeOrg"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

```
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Add a server to a sharing group:

POST

https://misp.local/sharing_groups/addServer/{sharingGroupId}/{serverId}

Response:

200:

```
{
  "saved": true,
  "success": true,
  "name": "Server added to the sharing group.",
  "message": "Server added to the sharing group.",
  "url": "/sharing_groups/addServer"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Remove a server from a sharing group:

POST

https://misp.local/sharing_groups/removeServer/{sharingGroupServerId}/{serverId}

Response:

200:

```
{
  "saved": true,
  "success": true,
```

```
"name": "Server removed from the sharing group.",
"message": "Server removed from the sharing group.",
"url": "/sharing_groups/removeServer"
}
```

403:

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

404:

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

Default:

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Revision #3

Created 13 April 2024 17:07:48 by İlayda Durlanık

Updated 13 April 2024 17:21:03 by İlayda Durlanık