TAG

Get tags:

GET

https://misp.local/tags

Response:

200:


```
{
  "Tag": [
    {
      "id": "12345",
      "name": "tlp:white",
      "colour": "#ffffff",
      "exportable": true,
      "org_id": "12345",
      "user_id": "12345",
      "hide_tag": false,
      "numerical_value": "12345",
      "is_galaxy": true,
      "is_custom_galaxy": true,
      "inherited": 1
    }
  ]
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
```

```
Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Get tag by ID:

GET

https://misp.local/tags/view/{tagId}

Response:

200:


```
{
  "id": "12345",
  "name": "tlp:white",
  "colour": "#ffffff",
  "exportable": true,
  "org_id": "12345",
  "user_id": "12345",
  "hide_tag": false,
  "numerical_value": "12345",
  "is_galaxy": true,
```

```
  "is_custom_galaxy": true,
  "inherited": 1
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Add tag:

POST

https://misp.local/tags/add

Response:

200:

```
{
  "id": "12345",
  "name": "tlp:white",
  "colour": "#ffffff",
  "exportable": true,
  "org_id": "12345",
  "user_id": "12345",
  "hide_tag": false,
  "numerical_value": "12345",
  "is_galaxy": true,
  "is_custom_galaxy": true,
  "inherited": 1
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Delete tag:

POST

https://misp.local/tags/delete/{tagId}

Response:

200:


```
{
  "name": "Tag deleted.",
  "message": "Tag deleted.",
  "url": "https://mispppriv.circl.lu/tags/delete/1"
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
```

}

Edit tag:

POST

https://misp.local/tags/edit/{tagId}

Request:


```
{
  "name": "tlp:white",
  "colour": "#ffffff",
  "exportable": true,
  "org_id": "12345",
  "user_id": "12345",
  "hide_tag": false,
  "numerical_value": "12345",
  "is_galaxy": true,
  "is_custom_galaxy": true,
  "inherited": 1
}
```


Response:

200:


```
{
  "Tag": {
    "id": "12345",
    "name": "tlp:white",
    "colour": "#ffffff",
    "exportable": true,
    "org_id": "12345",
    "user_id": "12345",
    "hide_tag": false,
    "numerical_value": "12345",
    "is_galaxy": true,
    "is_custom_galaxy": true,
```

```
    "inherited": 1
  }
}
```


403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```


Search tag:

GET

https://misp.local/tags/search/{tagSearchTerm}

Response:

200:

```
[
  {
    "Tag": {
      "id": "12345",
      "name": "tlp:white",
      "colour": "#ffffff",
      "exportable": true,
      "org_id": "12345",
      "user_id": "12345",
      "hide_tag": false,
      "numerical_value": "12345",
      "is_galaxy": true,
      "is_custom_galaxy": true,
      "inherited": 1
    },
    "Taxonomy": {
      "id": "12345",
      "namespace": "tlp",
      "description": "Disclosure is not limited.  Sources may use TLP:WHITE when information carries minimal or no foreseeable risk of misuse, in accordance with applicable rules and procedures for public release. Subject to standard copyright rules, TLP:WHITE information may be distributed without restriction.",
      "version": "5",
      "enabled": true,
      "exclusive": true,
      "required": true
    },
    "TaxonomyPredicate": {
      "id": "12345",
      "taxonomy_id": "12345",
      "value": "white",
      "expanded": "(TLP:WHITE) Information can be shared publicly in accordance with the law.",
      "colour": "#ffffff",
      "description": "Disclosure is not limited.  Sources may use TLP:WHITE when information carries minimal or no foreseeable risk of misuse, in accordance with applicable rules and procedures for public release. Subject to standard copyright rules, TLP:WHITE information may be distributed without restriction.",
      "exclusive": true,
      "numerical_value": 0
    }
  }
]
```

403:


```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```


404:


```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```


Default:


```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

Revision #3
Created 13 April 2024 17:39:15 by İlayda Durlanık
Updated 13 April 2024 17:48:17 by İlayda Durlanık