

# UserSettings

Get user settings:

GET

[https://misp.local/user\\_settings](https://misp.local/user_settings)

Response:

**200:**

```
[
  {
    "UserSetting": {
      "id": "12345",
      "setting": "publish_alert_filter",
      "value": {
        "widget": "MispStatusWidget",
        "position": {
          "x": "0",
          "y": "0",
          "width": "2",
          "height": "2"
        }
      },
      "user_id": "12345",
      "timestamp": "1617875568"
    }
  }
]
```

**403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
```

```
Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the
Authorization header.",
  "url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Search user settings:

POST

[https://misp.local/user\\_settings](https://misp.local/user_settings)

### Request:

```
{
  "id": "12345",
  "setting": "publish_alert_filter",
  "user_id": "12345"
}
```

### Response:

#### **200:**

```
[
  {
    "UserSetting": {
      "id": "12345",
      "setting": "publish_alert_filter",
      "value": {
        "widget": "MispStatusWidget",
        "position": {
          "x": "0",
          "y": "0",
          "width": "2",
          "height": "2"
        }
      },
      "user_id": "12345",
      "timestamp": "1617875568"
    }
  }
]
```

#### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Get user setting by id:

GET

[https://misp.local/user\\_settings/view/{userSettingId}](https://misp.local/user_settings/view/{userSettingId})

### Response:

#### **200:**

```
{
  "UserSetting": {
    "id": "12345",
    "setting": "publish_alert_filter",
    "value": {
      "widget": "MispStatusWidget",
      "position": {
        "x": "0",
        "y": "0",
        "width": "2",
        "height": "2"
      }
    }
  },
  "user_id": "12345",
  "timestamp": "1617875568"
}
```

#### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
}
```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
"url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Set user setting:

POST

[https://misp.local/user\\_settings/setSetting/{userId}/{userSettingName}](https://misp.local/user_settings/setSetting/{userId}/{userSettingName})

### Request:

```
{
  "widget": "MispStatusWidget",
  "position": {
    "x": "0",
    "y": "0",
    "width": "2",
    "height": "2"
  }
}
```

## Response:

### **200:**

```
{
  "UserSetting": {
    "id": "12345",
    "setting": "publish_alert_filter",
    "value": {
      "widget": "MispStatusWidget",
      "position": {
        "x": "0",
        "y": "0",
        "width": "2",
        "height": "2"
      }
    },
    "user_id": "12345",
    "timestamp": "1617875568"
  }
}
```

### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
  "url": "/attributes"
}
```

### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Get user setting by id:

GET

[https://misp.local/user\\_settings/getSetting/{userId}/{userSettingName}](https://misp.local/user_settings/getSetting/{userId}/{userSettingName})

### Response:

#### **200:**

```
{
  "UserSetting": {
    "id": "12345",
    "setting": "publish_alert_filter",
    "value": {
      "widget": "MispStatusWidget",
      "position": {
        "x": "0",
        "y": "0",
        "width": "2",
        "height": "2"
      }
    }
  },
  "user_id": "12345",
  "timestamp": "1617875568"
}
```

#### **403:**

```
{
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
}
```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
"url": "/attributes"
}
```

#### **404:**

```
{
  "name": "Invalid attribute",
  "message": "Invalid attribute",
  "url": "/attributes/1234"
}
```

#### **Default:**

```
{
  "name": "string",
  "message": "string",
  "url": "/attributes"
}
```

## Delete user setting by id:

DELETE

[https://misp.local/user\\_settings/delete/{userSettingId}](https://misp.local/user_settings/delete/{userSettingId})

## Response:

#### **200:**

```
{
  "saved": true,
  "success": true,
  "name": "Setting deleted.",
  "message": "Setting deleted.",
  "url": "/user_settings/delete/1234"
}
```



### **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
Authorization header.",  
  "url": "/attributes"  
}
```

### **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

### **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

---

Revision #1

Created 13 April 2024 18:10:05 by İlayda Durlanık

Updated 13 April 2024 18:17:44 by İlayda Durlanık