

# UserSettings

Get user settings:

GET

[https://misp.local/user\\_settings](https://misp.local/user_settings)

Response:

**200:**

```
[  
  {  
    "UserSetting": {  
      "id": "12345",  
      "setting": "publish_alert_filter",  
      "value": {  
        "widget": "MispStatusWidget",  
        "position": {  
          "x": "0",  
          "y": "0",  
          "width": "2",  
          "height": "2"  
        }  
      },  
      "user_id": "12345",  
      "timestamp": "1617875568"  
    }  
  }  
]
```

**403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the"
```

```
Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the  
Authorization header.",  
  "url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Search user settings:

POST

[https://misp.local/user\\_settings](https://misp.local/user_settings)

### Request:

```
{  
  "id": "12345",  
  "setting": "publish_alert_filter",  
  "user_id": "12345"  
}
```

### Response:

## **200:**

```
[  
  {  
    "UserSetting": {  
      "id": "12345",  
      "setting": "publish_alert_filter",  
      "value": {  
        "widget": "MispStatusWidget",  
        "position": {  
          "x": "0",  
          "y": "0",  
          "width": "2",  
          "height": "2"  
        }  
      },  
      "user_id": "12345",  
      "timestamp": "1617875568"  
    }  
  }  
]
```

#### **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

#### **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

#### **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Get user setting by id:

GET

[https://misp.local/user\\_settings/view/{userSettingId}](https://misp.local/user_settings/view/{userSettingId})

### Response:

#### 200:

```
{  
  "UserSetting": {  
    "id": "12345",  
    "setting": "publish_alert_filter",  
    "value": {  
      "widget": "MispStatusWidget",  
      "position": {  
        "x": "0",  
        "y": "0",  
        "width": "2",  
        "height": "2"  
      }  
    },  
    "user_id": "12345",  
    "timestamp": "1617875568"  
  }  
}
```

#### 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## **Set user setting:**

POST

[https://misp.local/user\\_settings/setSetting/{userId}/{userSettingName}](https://misp.local/user_settings/setSetting/{userId}/{userSettingName})

### **Request:**

```
{  
  "widget": "MispStatusWidget",  
  "position": {  
    "x": "0",  
    "y": "0",  
    "width": "2",  
    "height": "2"  
  }  
}
```

## Response:

### 200:

```
{  
  "UserSetting": {  
    "id": "12345",  
    "setting": "publish_alert_filter",  
    "value": {  
      "widget": "MispStatusWidget",  
      "position": {  
        "x": "0",  
        "y": "0",  
        "width": "2",  
        "height": "2"  
      }  
    },  
    "user_id": "12345",  
    "timestamp": "1617875568"  
  }  
}
```

### 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

### 404:

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

### Default:

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Get user setting by id:

GET

[https://misp.local/user\\_settings/getSetting/{userId}/{userSettingName}](https://misp.local/user_settings/getSetting/{userId}/{userSettingName})

### Response:

#### 200:

```
{  
  "UserSetting": {  
    "id": "12345",  
    "setting": "publish_alert_filter",  
    "value": {  
      "widget": "MispStatusWidget",  
      "position": {  
        "x": "0",  
        "y": "0",  
        "width": "2",  
        "height": "2"  
      }  
    },  
    "user_id": "12345",  
    "timestamp": "1617875568"  
  }  
}
```

#### 403:

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",
```

```
"message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
"url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

## Delete user setting by id:

DELETE

[https://misp.local/user\\_settings/delete/{userSettingId}](https://misp.local/user_settings/delete/{userSettingId})

## Response:

### **200:**

```
{  
  "saved": true,  
  "success": true,  
  "name": "Setting deleted.",  
  "message": "Setting deleted.",  
  "url": "/user_settings/delete/1234"  
}
```

## **403:**

```
{  
  "name": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "message": "Authentication failed. Please make sure you pass the API key of an API enabled user along in the Authorization header.",  
  "url": "/attributes"  
}
```

## **404:**

```
{  
  "name": "Invalid attribute",  
  "message": "Invalid attribute",  
  "url": "/attributes/1234"  
}
```

## **Default:**

```
{  
  "name": "string",  
  "message": "string",  
  "url": "/attributes"  
}
```

---

Revision #1

Created 13 April 2024 18:10:05 by İlayda Durlanık

Updated 13 April 2024 18:17:44 by İlayda Durlanık