

Downtime

Bir diğer kısım olan **Downtime** gelelim. Bu kısımda ise planlanmış bakımlar sonucunda sistemin kapatılacağı zamanı belirleyebiliyoruz. Hem hostlar için hem de servisler için ayrı ayrı kesinti bilgisi girebiliyoruz. Bu özellik, sistem bakımı, yazılım güncellemeleri veya başka nedenlerle geçici olarak hizmet dışı bırakılacak olan bileşenleri belirlemek ve bu süreleri planlamak için kullanılır.

Nagios®

General

Home
Documentation

Current Status

Tactical Overview
Map (Legacy)
Hosts
Services
Host Groups

Summary

Grid

Service Groups

Summary

Grid

Problems
Services (Unhandled)
Hosts (Unhandled)
Network Outages

Quick Search:

Reports

Availability
Trends (Legacy)
Alerts

History

Summary

Histogram (Legacy)

Notifications
Event Log

System

Comments

Downtime

Process Info

Performance Info

Scheduling Queue

Configuration

All Host and Service Scheduled Downtime

Last Updated: Mon Jun 24 16:42:27 +03 2024
Updated every 90 seconds
Nagios® Core™ 4.4.14 - www.nagios.org
Logged in as nagiosadmin

[Host Downtime | Service Downtime]

Scheduled Host Downtime

Schedule host downtime

Host Name Entry Time Author Comment Start Time End Time Type Duration Downtime ID Trigger ID Actions

There are no hosts with scheduled downtime

Scheduled Service Downtime

Schedule service downtime

Host Name Service Entry Time Author Comment Start Time End Time Type Duration Downtime ID Trigger ID Actions

There are no services with scheduled downtime

Nagios®

External Command Interface

Last Updated: Mon Jun 24 16:42:59 +03 2024
Nagios® Core™ 4.4.14 - www.nagios.org
Logged in as nagiosadmin

Command Options

You are requesting to schedule downtime for a particular host

Host Name:

Author (Your Name): Nagios Admin

Comment:

Triggered By: N/A

Start Time: 06-24-2024 16:42:59

End Time: 06-24-2024 18:42:59

Type: Fixed

If Flexible, Duration: 2 Hours 0 Minutes

Child Hosts: Do nothing with child hosts

Commit Reset

Command Description

This command is used to schedule downtime for a particular host. During the specified downtime, Nagios will not send notifications out about the host. When the scheduled downtime expires, Nagios will send out notifications for this host as it normally would. Scheduled downtimes are preserved across program shutdowns and restarts. Both the start and end times should be specified in the following format: mmdd/yyyy hh:mm:ss. If you select the fixed option, the downtime will be in effect between the start and end times you specify. If you do not select the fixed option, Nagios will treat this as "flexible" downtime. Flexible downtime starts when the host goes down or becomes unreachable (sometime between the start and end times you specified) and lasts as long as the duration of time you enter. The duration fields do not apply for fixed downtime.

Please enter all required information before committing the command.
Required fields are marked in red.
Failure to supply all required values will result in an error.

Revision #2

Created 6 July 2024 14:32:09 by Mehmet Mikail Öztas

Updated 10 July 2024 09:24:38 by Mehmet Mikail Öztas